

Toggle Switches

- Steel mounting strap, zinc-plated for corrosion resistance
- Washer-type break-off plaster ear for best flush alignment
- Captive mounting screws
- Back and side wiring for easy installation
- Large head combination screws for quick wiring
- Easy-access green hex head ground screw
- Copper Only
- UL listed



Single Pole Toggle Switch
15A 120/277V
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
Single Pole				
82010	Ivory	10	200	
82011	White	10	200	
82012	Brown	10	200	
82013	Almond	10	200	
3 Way				
82030	Ivory	10	200	
82031	White	10	200	
82032	Brown	10	200	
82033	Almond	10	200	



Commercial Single Pole Toggle Switch
20A, 120/277V
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
82020	Ivory	10	200	
82021	White	10	200	



4-way Toggle Switch
15A 120/277V
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
82040	Ivory	10	200	
82041	White	10	200	



Lighted Quiet Switch
15A, 120V
back & side wire
Clear Toggle

Cat No.	Type	Box Qty	Case Qty	Ea
82045	Single Pole	10	200	
82046	3 Way	10	200	



Without Ears Single Pole Toggle Switch
15A, 120V
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
82048	Black	10	200	



Decorative Switch
15A, 120/277V
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
Single Pole				
82050	Ivory	10	200	
82051	White	10	200	
82052	Brown	10	200	
82053	Almond	10	200	
Single Pole Lighted				
82285	Ivory	10	200	
82286	White	10	200	
3 Way				
82060	Ivory	10	200	
82061	White	10	200	
82062	Brown	10	200	
82063	Almond	10	200	
3 Way Lighted				
82290	Ivory	10	200	
82291	White	10	200	
4 Way				
82070	Ivory	10	200	
82071	White	10	200	
Single Pole 20A 120/277V				
82080	Ivory	10	200	
82081	White	10	200	



Single Pole Double Switch
15A 120V/277V
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
82090	Ivory	10	200	
82091	White	10	200	



Combination Single Pole Switch and Receptacle
15A, 125V
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
82175	Ivory	10	200	
82176	White	10	200	



Garbage Disposal Decorative Switch
Momentary Contact
15A, 120/277V
back & side wire
SPDT On-Off-(On)

Cat No.	Color	Box Qty	Case Qty	Each
82100	Ivory	10	200	
82101	White	10	200	
82103	Almond	10	200	



Single Pole Switch & Pilot Light
15A, 120V
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
82095	Ivory	10	200	
82096	White	10	200	

Straight Blade Receptacles

- Shallow design for maximum wiring room
- Easy-access green hex head ground screw
- Washer-type break-off plaster ear for best flush alignment

- Captive mounting screws
- Large head combination screws for quick wiring
- Back and side wiring for easy installation
- UL listed



Standard Duplex Receptacle
2 pole, 3 wire
15A, 125V
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
82120	Ivory	10	200	
82121	White	10	200	
82122	Brown	10	200	
82123	Almond	10	200	



Commercial Duplex Receptacle Self Ground
2 pole, 3 wire
15A, 125V
side wire

Cat No.	Color	Box Qty	Case Qty	Each
82140	Ivory	10	200	
82141	White	10	200	
82142	Brown	10	200	



Tamperproof Standard Duplex Receptacle
2 pole, 3 wire
15A, 125V
back & side wire

Available Feb 2009

Cat No.	Color	Box Qty	Case Qty	Each
81950	Ivory	10	200	
81951	White	10	200	
81953	Almond	10	200	



Decorative Duplex Receptacle Self Grounding
2 pole, 3 wire
15A, 125V
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
82015	Ivory	10	200	
82016	White	10	200	
82017	Brown	10	200	
82018	Almond	10	200	



Commercial Duplex Receptacle Self Grounding
2 pole, 3 wire
20A, 125V
side wire

Cat No.	Color	Box Qty	Case Qty	Each
82150	Ivory	10	200	
82151	White	10	200	
82152	Brown	10	200	
82153	Almond	10	200	



Tamperproof Decorative Duplex Receptacle Self Grounding
2 pole, 3 wire
15A, 125V
back & side wire

Available Feb 2009

Cat No.	Color	Box Qty	Case Qty	Each
81960	Ivory	10	200	
81961	White	10	200	
81963	Almond	10	200	



Isolated Ground Duplex Receptacle Self Grounding
2 pole, 3 wire
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
15 Amp 125 Volt				
82225	Ivory	10	200	
82226	White	10	200	
82228	Orange	10	200	
20 Amp 125 Volt				
82160	Ivory	10	200	
82161	White	10	200	
82164	Orange	10	200	
15 Amp 250 Volt				
82230	Ivory	10	200	
82231	White	10	200	
82233	Orange	10	200	
20 Amp 250 Volt				
82235	Ivory	10	200	
82236	White	10	200	
82238	Orange	10	200	



Decorative Isolated Ground Duplex Receptacle Self Grounding
2 pole, 3 wire
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
15 Amp 125 Volt				
81910	Ivory	10	200	
81911	White	10	200	
81914	Orange	10	200	
20 Amp 125 Volt				
81915	Ivory	10	200	
81916	White	10	200	
81919	Orange	10	200	
15 Amp 250 Volt				
81920	Ivory	10	200	
81921	White	10	200	
81924	Orange	10	200	
20 Amp 250 Volt				
81925	Ivory	10	200	
81926	White	10	200	
81929	Orange	10	200	



Hospital Grade Duplex Receptacle Self Grounding
2 pole, 3 wire
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
15 Amp 125 Volt				
82250	Ivory	10	200	
82251	White	10	200	
82253	Red	10	200	
20 Amp 125 Volt				
82170	Ivory	10	200	
82171	White	10	200	
82173	Red	10	200	
15 Amp 250 Volt				
82255	Ivory	10	200	
82256	White	10	200	
82258	Red	10	200	
20 Amp 250 Volt				
82260	Ivory	10	200	
82261	White	10	200	
82263	Red	10	200	



VOICE/DATACOM & WIRING DEVICES



Industrial Grade Duplex Receptacle Self Grounding 2 pole, 3 wire back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
15 Amp 125 Volt				
82195	Ivory	10	200	
82196	White	10	200	
20 Amp 125 Volt				
82130	Ivory	10	200	
82131	White	10	200	
15 Amp 250 Volt				
82200	Ivory	10	200	
82201	White	10	200	
20 Amp 250 Volt				
82205	Ivory	10	200	
82206	White	10	200	



Industrial Grade Decorator Duplex Receptacle Self Grounding 2 pole, 3 wire back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
15 Amp 125 Volt				
82210	Ivory	10	200	
82211	White	10	200	
20 Amp 125 Volt				
82180	Ivory	10	200	
82181	White	10	200	
15 Amp 250 Volt				
82215	Ivory	10	200	
82216	White	10	200	
20 Amp 250 Volt				
82220	Ivory	10	200	
82221	White	10	200	




Industrial Grade Single Receptacle 2 pole, 3 wire side wire

Cat No.	Color	Box Qty	Case Qty	Each
15 Amp 125 Volt				
82135	Ivory	10	200	
82136	White	10	200	
15 Amp 250 Volt				
82240	Ivory	10	200	
82241	White	10	200	
20 Amp 125 Volt				
82155	Ivory	10	200	
82156	White	10	200	
20 Amp 250 Volt				
82245	Ivory	10	200	
82246	White	10	200	



One Gang 4 wire Flush Dryer Receptacle 30A, 125/250V

Cat No.	Color	Box Qty	Case Qty	Each
82521	White	10	200	
82522	Black	10	200	



One Gang 4 wire Flush Range Receptacle 50A, 125/250V Black Color

Cat No.	Box Qty	Case Qty	Each
82526	10	200	



One Gang Metal Range and Dryer Cover 2.125 Diameter

Cat No.	Color	Box Qty	Case Qty	Ea
83480	Stainless	10	200	
83482	White	10	200	
83483	Ivory	10	200	



2 Gang Metal Range and Dryer Cover 2.125 Diameter

Cat No.	Color	Box Qty	Case Qty	Ea
83485	Stainless	10	200	
83487	White	10	200	
83488	Ivory	10	200	

Commercial Grade Decorator Combination Devices




Fig 1 Fig 2 Fig 3

- Elegant design provides multiple controls in a single-gang wall box
- All devices have grounding terminals
- Fit standard wall boxes

Cat. No.	Color	Fig.	Box Qty.	Case Qty.	Each
Triple Rocker Switch 15 Amp Push-In only 120/277V AC					
81970	Ivory	1	10	200	
81971	White	1	10	200	
81973	Almond	1	10	200	
Double Rocker Switch 15 Amp Side Wired Only 120/277V AC					
81980	Ivory	2	10	200	
81981	White	2	10	200	
81983	Almond	2	10	200	
Single Pole Switch/Receptacle 15 Amp 120V Switch 15 Amp 125V Receptacle					
81990	Ivory	3	10	200	
81991	White	3	10	200	
81993	Almond	3	10	200	

Ground Fault Circuit Interrupter with Wallplate




This device replaces a conventional outlet. Should someone come in contact with a live (hot) wire, this GFCI will detect a current leakage as little as 5 millamps and will shut the power off almost immediately (1/40 of a second). The National Electrical Code (NEC) requires the use of GFCI outlets in kitchens, bathrooms, garages, basements and near swimming pools.

- 2-pole, 3-wire grounding duplex receptacle
- 125V AC only
- 15A at outlet
- 20A feed-through
- With LED



Cat No.	GFCI Color	Reset & Test Button Color	Receptacle	Feed-Through	Case Qty	Each
82330	Ivory	Ivory	15 AMPS	20 AMPS	50	
82331	White	White	15 AMPS	20 AMPS	50	
82332	Brown	Brown	15 AMPS	20 AMPS	50	
82333	Light Almond	Light Almond	15 AMPS	20 AMPS	50	
82334	Black	Black	15 AMPS	20 AMPS	50	
82340	Ivory	Ivory	20 AMPS	20 AMPS	50	
82341	White	White	20 AMPS	20 AMPS	50	
82342	Brown	Brown	20 AMPS	20 AMPS	50	
82343	Light Almond	Light Almond	20 AMPS	20 AMPS	50	
82344	Black	Black	20AMPS	20 AMPS	50	
Tamperproof (Available February 2009)						
82350	Ivory	Ivory	15 AMPS	20 AMPS	50	
82351	White	White	15 AMPS	20 AMPS	50	
82360	Ivory	Ivory	20 AMPS	20 AMPS	50	
82361	White	White	20 AMPS	20 AMPS	50	

Decorator Screwless Snap-In Wallplates



- Screwless snap-in design gives smooth finish without recessed lines
- Decorator-compatible two piece kit allows easy retrofit to any decorator installation
- Virtually unbreakable thermoplastic
- Easy to snap-on
- Easy to clean & maintain attractive appearance



Cat. No.	Gangs	Color	Box Qty.	Case Qty.	Each
80900	1	Ivory	25	200	
80901	1	White	25	200	
80903	1	Almond	25	200	
80905	2	Ivory	25	200	
80906	2	White	25	200	
80908	2	Almond	25	200	
80910	3	Ivory	10	100	
80911	3	White	10	100	
80913	3	Almond	10	100	
80915	4	Ivory	10	100	
80916	4	White	10	100	
80918	4	Almond	10	100	
80920	5	Ivory	10	100	
80921	5	White	10	100	
80923	5	Almond	10	100	

Emergency Metal Switch Plates

Red with silk screened white letters



Cat No.	Type	Size	Box Qty	Case Qty	Each
83490	Oil	Utility	10	100	
83491	Oil	1 Gang	10	100	
83492	Oil	4" Raised	10	100	
83495	Gas	Utility	10	100	
83496	Gas	1 Gang	10	100	
83497	Gas	4" Raised	10	100	