



# WEATHERPROOF BOXES

## Lampholder



- Lampholder Covers Include Closure Plugs
- Gasket & Mounting Screws Supplied
- Seamless Die Cast Aluminum
- Powder Coat Finish
- Individually Bagged & Bar Coded
- For 75 Thru 150 Watt PAR 38 Lamps
- Extra Long Wire Leads for Easy Hook-Up
- Locking Swivel Knuckle Assures Positive Lamp Positioning and Provides Pinpoint Directional Aiming
- Each Lampholder Supplied With a Copper Screw Shell Porcelain Socket (37408 Aluminum Shell), Inside Gasket & 1/2" Locknut
- Press Fit Internal Heat Resistant Gasket Designed Not to Come Out When Bulb is Changed

Cat No.	Finish	Box Qty	Each
37408	Unpainted	100	
37410	Gray	100	
37412	White	100	
37414	Bronze	100	

## Hole Plugs and Accessories



FIG 1



FIG 2



FIG 3



FIG 4



FIG 8

**GASKETS**

- 1 Gang switch
- 1 Gang blank
- 1 Gang single receptacle
- 1 Gang telephone

USE 37930

FIG 5

**GASKETS**

- 1 Gang duplex receptacle
- 1 Gang skeleton (For GFI receptacles)
- 1 Gang louver

USE 37932

FIG 6

**GASKETS**

- 2 Gang blank
- 2 Gang switch
- 2 Gang duplex receptacle
- 2 Gang single receptacle
- 2 Gang, 1 switch & 1 duplex receptacle
- 2 Gang, 1 single & 1 duplex receptacle

USE 37934

FIG 7

Cat No.	Fig.	Description	Finish	Bag Qty	Box Qty	Each
37510	1	1/2" Hole plug	Gray	10	30	
37512	1	1/2" Hole Plug	White	10	30	
37514	1	1/2" Hole Plug	Bronze	10	30	
37520	1	3/4" Hole Plug	Gray	10	30	
37522	1	3/4" Hole Plug	White	10	30	
37524	1	3/4" Hole Plug	Bronze	10	30	
37530	1	1" Hole Plug	Gray	10	30	
37540	2	1-2 Adapter	Gray	10	30	
37910	3	Mounting Lugs	Gray	10	30	
37920	4	Lampholder Inside Gasket	—	10	30	
37930	5	1 Gang Single Receptacle Gasket	—	10	30	
37932	6	1 Gang Duplex Receptacle/GFCI Gasket	—	10	30	
37934	7	2 Gang Gaskets	—	10	30	
37936	8	4" Round Gaskets	—	10	30	

## Weatherproof Boxes

- Includes Closure Plugs
- Detachable Lugs Provided (Except Where Noted)
- Ground Screw Installed
- Reinforced Connector Outlets

- Seamless Die Cast Aluminum
- Powder Coat Finish
- Individually Bagged
- Bar Coded



### One Gang – 18 Cubic Inch Capacity Length 4 1/2" X Width 2 3/4" X Depth 2"



Cat No.	Fig.	Lugs	No. of Outlet Holes	Outlet Hole Dia.	No. of Closure Plugs	Finish	Box Qty	Each
36000	1	No Lugs	3	1/2"	2	Gray	80	
36002	1	No Lugs	3	1/2"	2	White	80	
36004	1	No Lugs	3	1/2"	2	Bronze	80	
36010	1	Lugs	3	1/2"	2	Gray	80	
36012	1	Lugs	3	1/2"	2	White	80	
36014	1	Lugs	3	1/2"	2	Bronze	80	
36018	1	No Lugs	3	3/4"	2	Gray	80	
36020	1	Lugs	3	3/4"	2	Gray	80	
36022	1	Lugs	3	3/4"	2	White	80	
36024	1	Lugs	3	3/4"	2	Bronze	80	
36028	2	No Lugs	4	1/2"	2	Gray	80	
36030	2	Lugs	4	1/2"	2	Gray	80	
36032	2	Lugs	4	1/2"	2	White	80	
36034	2	Lugs	4	1/2"	2	Bronze	80	
36040	2	Lugs	4	3/4"	2	Gray	80	
36050	3	Lugs	5	1/2"	2	Gray	80	
36060	3	Lugs	5	3/4"	2	Gray	80	
36070	4	Lugs	5	1/2"	2	Gray	80	
36080	4	Lugs	5	3/4"	2	Gray	80	

### One Gang Deep – 24 Cubic Inch Capacity Length 4 1/2" X Width 2 3/4" X Depth 2 5/8"



Cat. No.	Fig.	Lugs	No. of Outlet Holes	Outlet Hole Dia.	No. of Closure Plugs	Finish	Box Qty	Each
36090	5	Lugs	3	1/2"	2	Gray	10	
36100	5	Lugs	3	3/4"	2	Gray	10	
36110	5	Lugs	3	1"	2	Gray	10	
36120	6	Lugs	5	1/2"	2	Gray	10	
36130	6	Lugs	5	3/4"	2	Gray	10	
36140	6	Lugs	5	1"	2	Gray	10	




# WEATHERPROOF BOXES

## Weatherproof Boxes

- Includes Closure Plugs
- Seamless Die Cast Aluminum
- Detachable Lugs Provided
- Powder Coat Finish
- Ground Screw Installed
- Individually Bagged
- Reinforced Connector Outlets
- Bar Coded



### Two Gang – 30.5 Cubic Inch Capacity Length 4 1/2" X Width 4 1/2" X Depth 2"



Cat. No.	Fig.	No. of Outlet Holes	Outlet Hole Dia.	No. of Closure Plugs	Finish	Box Qty	Each
36210	1	3	1/2"	2	Gray	30	
36212	1	3	1/2"	2	White	30	
36214	1	3	1/2"	2	Bronze	30	
36220	1	3	3/4"	2	Gray	30	
36222	1	3	3/4"	2	White	30	
36224	1	3	3/4"	2	Bronze	30	
36230	2	4	1/2"	2	Gray	30	
36240	2	4	3/4"	2	Gray	30	
36250	3	5	1/2"	2	Gray	30	
36260	3	5	3/4"	2	Gray	30	
36270	4	5	1/2"	2	Gray	30	
36280	4	5	3/4"	2	Gray	30	
36290	5	6	1/2"	2	Gray	30	
36300	5	6	3/4"	2	Gray	30	
36310	6	7	1/2"	2	Gray	30	
36320	6	7	3/4"	2	Gray	30	
36330	7	7	1/2"	2	Gray	30	
36340	7	7	3/4"	2	Gray	30	
36350	8	9	1/2"	2	Gray	30	
36360	8	9	3/4"	2	Gray	30	

### Two Gang Deep – 37 Cubic Inch Capacity Length 4 1/2" X Width 4 1/2" X Depth 2 5/8"



Cat. No.	Fig.	No. of outlet Holes	Outlet Hole Dia.	No. of Closure Plugs	Finish	Box Qty	Each
36370	9	5	1/2"	2	Gray	5	
36380	9	5	3/4"	2	Gray	5	
36390	9	5	1"	2	Gray	5	
36400	10	7	1/2"	2	Gray	5	
36410	10	7	3/4"	2	Gray	5	
36420	10	7	1"	2	Gray	5	

## One Gang Weatherproof Covers

- Lampholder Covers Include Closure Plugs
- Powder Coat Finish
- Gasket & Mounting Screws Supplied
- Self Closing Lids
- Seamless Die Cast Aluminum
- Individually Bagged & Bar Coded



### Horizontal One Gang Covers



FIG 1



FIG 2

Cat. No.	Fig.	Description	Finish	Box Qty	Each
37010	1	Duplex Receptacle	Gray	100	
37012	1	Duplex Receptacle	White	100	
37014	1	Duplex Receptacle	Bronze	100	
37020	2	GFCI/Decorator	Gray	50	
37022	2	GFCI/Decorator	White	50	
37024	2	GFCI/Decorator	Bronze	50	

### Vertical One Gang Covers



FIG 3



FIG 4



FIG 5



FIG 6



FIG 7



FIG 8

Cat No.	Fig.	Description	Finish	Box Qty	Each
37110	3	Single Receptacle	Gray	100	
37112	3	Single Receptacle	White	100	
37114	3	Single Receptacle	Bronze	100	
37120	4	Duplex Receptacle	Gray	100	
37122	4	Duplex Receptacle	White	100	
37124	4	Duplex Receptacle	Bronze	100	
37130	5	GFCI/Decorator	Gray	50	
37132	5	GFCI/Decorator	White	50	
37134	5	GFCI/Decorator	Bronze	50	
37140	6	Single Receptacle 1.438" Opening	Gray	50	
37150	6	20A & 30A Twist Lock Receptacles 1.625" Opening	Gray	50	
37160	6	30A 3 & 4 Wire Twist Lock Receptacles 1.75" Opening	Gray	50	
37170	7	30A Dryer & 50A Range Receptacle 2.125" Opening	Gray	50	
37180	8	Blank	Gray	100	
37182	8	Blank	White	100	
37184	8	Blank	Bronze	100	

### Rectangular Lampholder Covers



FIG 9



FIG 10

Cat. No.	Fig.	Description	No. of Closure Plugs	Finish	Box Qty	Each
37310	9	1 - 1/2 Hole	-	Gray	160	
37312	9	1 - 1/2 Hole	-	White	160	
37314	9	1 - 1/2 Hole	-	Bronze	160	
37330	10	3 - 1/2 Hole	1	Gray	160	
37332	10	3 - 1/2 Hole	1	White	160	
37334	10	3 - 1/2 Hole	1	Bronze	160	




# WEATHERPROOF BOXES

## Two Gang Weatherproof Covers

- Lampholder Covers Include Closure Plugs
- Gasket & Mounting Screws Supplied
- Seamless Die Cast Aluminum

- Powder Coat Finish
- Self Closing Lids
- Individually Bagged & Bar Coded




Cat No.	Fig.	Description	Finish	Box Qty	Each
37210	1	2 Duplex Receptacles	Gray	100	
37212	1	2 Duplex Receptacles	White	100	
37214	1	2 Duplex Receptacles	Bronze	100	
37220	2	1 GFCI & 1 Duplex Receptacle	Gray	100	
37222	2	1 GFCI & 1 Duplex Receptacle	White	100	
37224	2	1 GFCI & 1 Duplex Receptacle	Bronze	100	
37226	3	2 Single Receptacles	Gray	100	
37230	4	1 Single Receptacle & 1 Duplex Receptacle	Gray	100	
37240	5	1 GFCI & 1 Single Receptacle	Gray	100	
37250	6	2 GFCI Receptacles	Gray	100	
37260	7	Blank Cover	Gray	100	
37262	7	Blank Cover	White	100	
37264	7	Blank Cover	Bronze	100	

## Weatherproof Box Extensions & Adapter Rings

- Includes Closure Plugs
- Gasket & Mounting Screws Supplied
- Seamless Die Cast Aluminum
- Fits All Universal Type Weatherproof Boxes

- Powder Coat Finish
- Individually Bagged
- Bar Coded



Cat No.	Fig.	No. of Outlet Holes	Outlet Hole Dia.	No. of Closure Plugs	Finish	Box Qty	Each
<b>One Gang Extension Ring</b> 9.3 Cubic Inch Capacity Length 4 1/2" X Width 2 3/4" X Depth 1"							
36510	8	-	-	-	Gray	24	
<b>Two Gang Extension Ring</b> 16.3 Cubic Inch Capacity Length 4 1/2" X Width 4 1/2" X Depth 1"							
36512	9	-	-	-	Gray	24	
<b>One Gang Flanged Box Extension Adapter</b> 10.0 Cubic Inch Capacity Length 5 1/4" X Width 3 1/2" X Depth 1 1/2"							
36520	10	4	1/2"	2	Gray	50	
36530	10	4	3/4"	2	Gray	50	
36540	11	6	1/2"	2	Gray	50	
36550	11	6	3/4"	2	Gray	50	



# WEATHERPROOF BOXES

## 4" Round Weatherproof Boxes & Extensions

- Includes Closure Plugs
- Ground Screw Installed in Boxes
- Seamless Die Cast Aluminum
- Powder Coat Finish
- Individually Bagged
- Bar Coded



### 15.3 Cubic Inch Capacity – 1 1/2" Deep



FIG 1



FIG 2

Cat. No.	Fig.	No. of Outlet Holes	Outlet Hole Dia.	No. of Closure Plugs	Finish	Box Qty	Each
<b>4" ROUND WEATHERPROOF BOXES</b>							
36610	1	5	1/2"	4	Gray	40	
36612	1	5	1/2"	4	White	40	
36614	1	5	1/2"	4	Bronze	40	
36620	1	5	3/4"	4	Gray	40	
<b>4" ROUND WEATHERPROOF BOX EXTENSIONS</b>							
36710	2	4	1/2"	3	Gray	40	
36720	2	4	3/4"	3	Gray	40	

## 4" Round Weatherproof Covers



FIG 1



FIG 2

- Includes Closure Plugs
- Gasket & Mounting Screws Supplied
- Seamless Die Cast Aluminum
- Powder Coat Finish
- Individually Bagged
- Bar Coded



FIG 3



FIG 4

Cat. No.	Fig.	No. of Outlet Holes	Outlet Hole Dia.	No. of Closure Plugs	Finish	Box Qty	Each
36810	1	1	1/2"	-	Gray	50	
36812	1	1	1/2"	-	White	50	
36814	1	1	1/2"	-	Bronze	50	
36830	2	3	1/2"	1	Gray	50	
36832	2	3	1/2"	1	White	50	
36834	2	3	1/2"	1	Bronze	50	
36840	3	3	1/2"	1	Gray	50	
36842	3	3	1/2"	1	White	50	
36844	3	3	1/2"	1	Bronze	50	
36850	4		Blank		Gray	50	

## In-Use Weatherproof Covers



One Gang



Two Gang

- Meets 2002 NEC 406.9(B) Code
- Weatherproof While in Use
- Quick Fit Install in Seconds
- Maximum Impact Resistance
- Movable Hinges for Easy Vertical or Horizontal Mounting
- Maximum Versatility, Easily Configured
- 2-3/4" Depth
- Single gang supports 14 switch & receptacle styles
- Double gang supports 6 switch & receptacle styles



Cat No.	Description	Case Qty	Each
38900	1 gang	40	
38910	2 gang	30	