


EMT To Box Offset Set Screw Connector - Zinc Die Cast




- ▶ Use to connect EMT conduit to a Metal Box or Enclosure where Offset is Required
- ▶ Zinc Die-Cast
- ▶ Combo Head Set-Screw
- ▶ Assembled with Zinc Die Cast Locknut
- ▶ Concrete Tight (When Taped)

Dimensions = Inches

Cat. No.	Trade Size	Dimensions		Inner Box	Outer Box
		A	B		
15010	1/2"	2.11	.37	20	200
15011	3/4"	2.85	.75	10	100
15012	1"	3.14	1.19	-	100

EMT To Box Offset Compression Connector - Zinc Die Cast




- ▶ Use to connect EMT conduit to a Metal Outlet Box or Enclosure where an Offset is Required
- ▶ Zinc Die-Cast
- ▶ Compression Style
- ▶ Assembled with Zinc Die Cast Locknut
- ▶ Concrete Tight

Dimensions = Inches

Cat. No.	Trade Size	Dimensions		Inner Box	Outer Box
		A	B		
15014	1/2"	2.11	.37	20	200
15015	3/4"	2.88	.75	10	100

EMT to EMT Inside Corner Set Screw Pulling Elbows




- ▶ Use to Connect EMT Conduit together on a 90° Inside Corner
- ▶ Combo Head Set Screws
- ▶ Zinc Die Cast

Dimensions = Inches

Cat. No.	Trade Size	Dimensions			Inner Box	Outer Box
		A	B	C		
15020	1/2"	2.32	2.32	.59	10	100
15021	3/4"	2.64	2.64	.78	5	50
15022	1"	2.94	2.94	1.19	-	50

EMT Insulating Bushings



- ▶ Meets NEC Article 300-15C requirements
- ▶ Listed for use in environmental air handling spaces per 2005 NEC code requirements 300-22C
- ▶ Polyethylene rated at 90°C

- ▶ EMT Insulating Bushings protect cables from abrasion
- ▶ Fast & Easy press-on installation

Dimensions = Inches

Cat. No.	Trade Size	Dimensions		Bag Qty
		A	B	
21700	1/2"	.522	.570	100
21701	3/4"	.538	.764	50
21702	1"	.614	.954	25
21703	1-1/4"	.620	1.26	25
21704	1-1/2"	.620	1.44	25
21705	2"	.620	1.86	20
21706	2-1/2"	1.12	2.34	-
21707	3"	1.19	2.78	-
21708	3-1/2"	1.22	3.27	-
21709	4"	1.22	3.71	-